























- Hengl, T., Sierdsema, H., Radovic, A., Dilo, A., 2009. Spatial prediction of species' distributions from occurrence-only records: combining point pattern analysis, ENFA and regression-kriging. *Ecological Modelling*, 220, 3499–3511.
- Hirzel, A., Hausser, J., Chessel, D., Perrin, N., 2002. Ecological-niche factor analysis: how to compute habitat-suitability maps without absence data? *Ecology*, 83, 2027–2036.
- Rather, T.; Kumar, S.; Khan, J. 2020. Multi-scale habitat modelling and predicting change in the distribution of tiger and leopard using random forest algorithm. *Scientific Reports*, 10, 1-19.
- Serra, R., 1991. Important life history aspects of the Chilean jack mackerel, *Trachurus symmetricus murphyi*. *Investigación pesquera*, 36, 67-83.
- Swartzman, G. Bertrand, A. Gutiérrez, M. Bertrand, S. Vasquez, L. 2008. The relationship of anchovy and sardine to water masses in the Peruvian Humboldt Current System from 1983 to 2005. *Progress in Oceanography*, 79, 228-237.
- Torrejón-Magallanes, J. Grados, D. Lau-Medrano, W. 2019. Spatio-temporal distribution modeling of dolphinfish (*Coryphaena hippurus*) in the Pacific Ocean off Peru using artisanal longline fishery data. *Deep-Sea Research Part II: Topical Studies in Oceanography*, 169-170, 104665.